Sign in

Google scholar | label matching text database create OR OR O | Search   Advanced Scholar Search
                                                                            Scholar Preferences

Scholar | Articles and patents ▼ | | — | 2003 | | include citations ▼ | Results **1 - 31** of **31**.

From where to what: Metadata sharing for digital photographs with geographic coordinates
M Naaman, A Paepcke, H Garcia-Molina - On The Move to Meaningful ..., 2003 - Springer
... g is taken from the cluster in the hierarchy that maximizes the geographical and **text**/frequency
match ... S) of **User** 2's images (I), possible **matching** terms (T), and the score (S) of the **match**
between the ... tuple (g c ,"Stanford Church",s). The reply is based on the **label** submitted by H ...
Cited by 77 - Related articles - BL Direct - All 12 versions

[PDF] Object-oriented **database** systems: promises, reality and future
W Kim - ... OF THE INTERNATIONAL CONFERENCE ON VERY ..., 1993 - sigmod.org
... eg, open, close, drop, **create**, move, etc.) apply to different types of data (image, **text** file, audio ...
to bring these products to full-fledged **database** systems that can at least **match** the level ... myths
are totally without merit, and are the result of the unfortunate **label** "**database** system" that ...
Cited by 98 - Related articles - View as HTML - BL Direct - All 9 versions

[PDF] Resolution of date and time expressions in a www-based dialogue system
C Dobrin, P Boda - COST-249 10th Management Committee ..., 1998 - trappist.elis.ugent.be
... solving module (see Figure 1). The input to the system is written **text** or transcribed speech. ...
Words that do not **match** are simply neglected. ... The actions are also specified in the **label**
database in a way that a **label** can be associated with one or more actions. ...
Cited by 5 - Related articles - View as HTML - All 3 versions

Method for adding personalized metadata to a collection of digital images
KA Parulski, JR McCoy - US Patent 6,629,104, 2003 - Google Patents
... More specifically, the invention relates to a personal **database** of metadata **labels** constructed
prior to image capture. ... In addition, since the **user** may type in different **text** to describe the same
item (eg Matt, Matthew, or X-mas, Christmas) the **database** may not 35 contain ...
Cited by 2 - Related articles - All 3 versions

[PDF] The ALERT system: Advanced broadcast speech recognition technology for selective dissemination of multimedia information
G Rigoll - IEEE workshop on automatic speech recognition and ..., 2001 - Citeseer
... This information is conveyed to the **search** engine, and segments with **matching** topic indexes
and content class **labels** are retrieved, along with the ... Typically, older transcriptions are archived,
so **text**-based retrieval can extend further into the past. 5. CONCLUSION ...
Cited by 4 - Related articles - View as HTML - All 12 versions

Label system-translation of **text** and multi-language support at runtime and design
R Bitsch, JS Hansen - US Patent App. 10/674,834, 2003 - Google Patents
... **label**. [0010] Based on the entered data, the **search** engine searches the **label**
text database, and identifies those **label** texts that most closely **match** the desired
text, as well as any provided namespace and category. The ...
All 2 versions

Method and system for providing electronic commerce actions based on semantically labeled s
J Reynar - US Patent App. 09/841,266, 2001 - Google Patents
... meeting Schedule a task Schedule a meeting [0060] For each type **label**, the type-action **database**
230 may ... a "Save semantic categories as XML properties" checkbox (off by default) will write out

the **text** of all of the semantic categories in the document and their **labels** in the ...
Related articles - All 3 versions

Computer-aided interpretation of SPECT images of the brain using an MRI-derived 3D neuro-anatomical atlas
ED Lehmann, DJ Hawkes, DLG Hill, CF ... - Informatics for Health ..., 1991 - informaworld.com
... and the surface of the ventricles were used for scaling and elastic **matching** between an ... would reveal more detailed information about particular structures in the form of **text**, diagrams or ... However, no attempt has been made to **label** every voxel with a neuro-anatomical structure. ...
Cited by 32 - Related articles - All 4 versions

Dictionary-driven protein annotation
I Rigoutsos, T Huynh, A Floratos, L ... - Nucleic Acids ..., 2002 - Oxford Univ Press
... View this table: [in this window] [in a new window], Table 1. FT line **labels** used in ... to SwissProt/TrEMBL and **retrieve** all of the **database** entries with the property stated by the **text**. ... pattern's estimated log probability and the actual position within the query where the **match** begins. ...
Cited by 36 - Related articles - BL Direct - All 19 versions

[PS] March 10, 1995
DF Geddis - 1995 - geddis.org
... More details of the standard approach can be found in a specialized **text** such as GN87]. ... It is often the case that, while any individual assumption **matching** the pattern is a reasonable thing to assume true, that ... (**create-label**-structure qualitative-likelihoods true false ql-and ql-or) ...
Related articles - View as HTML - All 3 versions

[BOOK] Java **database** programming with JDBC
P Patel, K Moss - 1996 - jdeveloper.cn.googlepages.com
... matter of fact, the simple JDBC driver included with this book uses delimited **text** files to ... have outlined the basic foundation of SQL, let's write some code to implement our **database**. The formal name for the language components used to **create** tables is Data Definition Language ...
Cited by 21 - Related articles - View as HTML - Library Search - All 12 versions

Customer specific packaging line
NJ Sleep, AH Proudfoot, S Owen, AN ... - US Patent App. 10/ ..., 2002 - Google Patents
... 1 READ TAG ~\~ 52° i c. 720 READ BOTTLE BARCODE DOES BARCODE **MATCH** RELEASE PUCK ... case of pharmaceuticals, the filled container is suitable for distribution to the **user** or wholesaler ... 100% inspection of the tablets and up to 100% inspection of the **labels** affixed to ...
Cited by 4 - Related articles - All 6 versions

Customer specific packaging line having containers with tag means containing medication orde information
NJ Sleep, AH Proudfoot, S Owen, AN Bargh, M ... - US Patent ..., 2001 - Google Patents
... Cl.7 G06F 7/00 (52) US Cl 700/216; 53/500 (58) Field of **Search** 700/216 ... among others, the bottle, the customer, the order, the pharmaceutical, the bottle size and **label** information ... TAG \~ 52° A C. 720 READ BOTTLE BARCODE VERIFY TAG DATA DOES BARCODE **MATCH** FIG ...
Cited by 7 - Related articles - All 2 versions

[PDF] Requirements Specification for DMS Message Optimization Software Tool (MOST)
P Davis, S Sunkari, C Dudek, K Balke - Texas Transportation Institute, 2002 - Citeseer
... free, and platform-independent set of rules to format, delineate, and identify data within **text** files in ... This **label** is also the name of a variable used within the code of the application to ... If the names of tables in the **database** change or if a different **database** product is installed, the ...
Cited by 2 - Related articles - View as HTML - All 3 versions

Method and system for drug utilization review

VV Gogolak - US Patent App. 10/192,659, 2002 - Google Patents
... Those embodiments, knowing the potential drugs considered (previously entered by the **user**, or selected rapidly at POC) uses a drug **label database** 112 ... Because patient information 110 exists in the **database** in parallel to the physician 114 and drug **label** rules 112 ...
All 2 versions

[PDF] A component framework supporting peer services for space data management
D Crichton, S Hughes, S Kelly, P ... - ... Conference, Big Sky, ..., 2002 - oodt.jpl.nasa.gov
... it may return no product even if it otherwise had a **match** for the ... profAttributes> <resAttributes> <Identifier>1.2.3.5...</Identifer> <Title>VikingOrbiter1...</Title> <Format>**text**/html</Format ... engineers developed a simple Perl CGI -script **search** engine to **search** the **label database**. ...
Cited by 9 - Related articles - View as HTML - All 3 versions

Hazard communication system
JL Farmer, PM Hill, GP Dietz, G ... - US Patent App. 09/ ..., 1999 - Google Patents
... the employees handle, and incor- porate into this plan the use of container **labels**, warning signs ... In other cases it is done through a relational **database** which arrived at the same result ... No systemic means have heretofore been available to **create** and disseminate hazard data for ...
All 4 versions

[PDF] A Linux-Based Approach to Low-Cost Support of Access Control Policies
PC Clark, CE Irvine, D Volpano - 1999 - cisr.nps.edu
... A. DESIGN DECISIONS RELATED TO COVERT CHANNELS 61 A. DEFLECTION DIRECTORIES 61 B. OBJECT PROPERTIES 62 APPENDIX B. **DATABASE** DESIGN 63 A. POLICY **LABEL** 63 B. **LABEL DATABASE** 64 C **USER** CLEARANCE **DATABASE** 65 D ...
Cited by 1 - Related articles - All 7 versions

An approach toward integrated algorithm information system* 1
K Amano, M Chiba, A Mochida Takashi - Information Systems, 1984 - Elsevier
... in the operand terms such as inver*, symmetr* and definite* is used for the part to be disregarded in the **matching** of the ... fields NO NAME TYPE PREFIX OUTPUT **LABEL** CONTENTS I DN S KEY 2 AN S 3 TI S 4 AU S 5 ... [9] T. Maeda: An approach toward functional **text** struc ture ...
Cited by 2 - Related articles - All 3 versions

[PDF] Resolution of type mismatches in an engineering persistent object system
A Mehta, DL Spooner, M Hardwick - Technical Report, Rensselaer ..., 1993 - Citeseer
... schema (ie, the class definitions in the **text** of the program), and the persistent object ... a **database** class does not **match** the type of the corresponding instance variable in the corresponding ... of the **database** class will **create** a category 2 type mismatch in other applications that ...
Cited by 4 - Related articles - View as HTML - All 8 versions

Dynamic, hierarchical data exchange system
KA Vandersluis - US Patent App. 10/011,022, 2001 - Google Patents
... JOIN KEY="DEVELOPER" JOIN TYPE="Outer"> <PROBLEM HTML COL TAGS="SIR NUMBER **CREATE** DBID="SIR ... n\ fl^ !•«• I_Z - «^— co 0 0 15 CQ ~ O CO Q O **Database**: Table: ®ir ... 3 <DOMAINS> 4 <DOMAIN HAME="XML"> 5 <_STYLE KEY="£LEM" 6 **LABEL**="Element"x ...
Cited by 11 - Related articles - All 4 versions

COPYRIGHT NOTICE
CM Cischke, AK Wise, SA Whitmore, CA Johnson, ... - System, 2000 - freepatentsonline.com
... Comment( ); *; * Algorithm: 1. Output the **text** string input; ***/; bool Comment(const string &); ... bool AddLabel(const string &, const RamAddressList &); //GetLabel(name, RamAddressArray[NumRams]); //looks for a **matching** name in the internal **label** map. ...

[PDF] Library for organization of image recognition systems

O Shyrokov - 2002 - ece.unh.edu
... 32 4.8 SOM **DATABASE**..... ... It is possible to **create** such systems and they are used in industry.
It is possible to **create** a platform that will simplify the development ... the **labels** assigned to the cells. ...
Related articles - View as HTML - All 2 versions

[BOOK] The contemporary thesaurus of **search** terms and synonyms: a guide for natural langua
computer searching
SD Knapp - 2000 - books.google.com
... But purposes are unique and only those words that most closely **match** the subject of your **search**
should be selected. The choice of words belongs to you. ... In a full-**text database**, the entire article
appears as a record. ... Below is a sample from a mailing **label database**. ...
Cited by 7 - Related articles

[BOOK] Personal portable computers and the curriculum
J Gardner, H Morrison, R Jarman, C Reilly, H McNally - 1994 - Citeseer
... of **text**), databases (for storing and retrieving information again usually in the form of **text**) and
spreadsheets ... Databases While many people may not be familiar with the **label** 'database' or with
specific packages ... The most obvious application – the **database** – may take many forms ...
Cited by 15 - Related articles - View as HTML - All 2 versions

Method and system for distributing a work process over an information network
RW Warris, WD Paterson, J Wester - US Patent 6,604,131, 2003 - Google Patents
... SOURCE DIRECTORY ERROR 0101001 3. OPEN IMPORT FILE AND **CREATE** ERROR FILE ...
UPDATE i **LABEL** SERVER UPDATER REMOTE DATA MODULE 18a \ **LABELS DATABASE**
18g \ COM ... 1 r UNPACK AND DECODE URL 300 URL IN RATING **LABEL DATABASE** ? ...
Related articles - All 4 versions

[PDF] The CIMI Profile Z39. 50 Application Profile for Cultural Heritage Information
WE Moen - 1998 - loc.gov
... example, string tags (see Section 3.4.3.1.1.) may be used to **label** locally–defined ... However,
implementors can suggest to CIMI that commonly occurring **database** elements/fields need to ...
of museum information such as object records, images with associated **text**, and cataloging ...
Related articles - View as HTML - All 5 versions

[PDF] Enhanced Windows-based Warning Terms Separation Proof-of-Concept (POC)–Architect
Detailed Design & Project Plan
A Magar, ON Ottawa - 2003 - pubs.drdc.gc.ca
... **Database** information resources will be appropriately labelled using Oracle9i **Label**
Security. ... 7.1.4 **Database**.....56 ... to the DND Information Technology Security Architecture
the goal in the classified domain is to **create** a single ...
Cited by 2 - Related articles - All 2 versions

[BOOK] Mastering network security
C Brenton, C Hunt - 2002 - books.google.com
... 51 **Label** Switching and MPLS . . . . 217 Clear **Text** Protocols . . . . 418 **Search** Engines . . . .
Cited by 41 - Related articles - Library Search - All 5 versions

[PDF] DEPARTMENT of COMPUTER ENGINEERING
M Bachman - 2003 - cse.scu.edu
... that the **user** would like to **search** for into the **text** box provided. Then press the ... matches. In the
event of a **match**, the system will then query the **database** once again, ... 8i **database**. 3.4.1.2 Will
use JDBC and SQL queries to **retrieve** information from the **database**. ...
View as HTML

[PDF] E-mental health in Australia: Implications of the Internet and related technologies for polic

H Christensen, KM Griffiths, K Evans... - Commonwealth of Australia, 2002 - aodgp.gov.au
... report addresses the important emerging area of electronic mental health and aims to **generate** discussion about ... was felt that there must be the capacity with any medical record **database** to mask ... Sites and software must be designed that go beyond the linear **text** sites currently ...
Cited by 16 - Related articles - View as HTML - All 25 versions

label matching text database create   Search

Go to Google Home - About Google - About Google Scholar